U.S. Pattern and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Substitute for form 1449/PTO				Complete if Known		
				Application Number	10/588,124	
			CLOSURE	Filing Date	November 17, 2006	
STA	TEMENT B	BY A	PPLICANT	First Named Inventor	Tomohiko Ohta	
	(Use as many she	ets as n	ecessary)	Art Unit	1643	
	(000 10 1111) 0110		,,,	Examiner Name	A. M. Gussow	
Sheet	1	of	3	Attorney Docket Number	L7350.0010	

Evaminas	Cite	NON PATENT LITERATURE DOCUMENTS	
Examiner Ci Initials* No		Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	
/AMG/		HASHIZUME, R. et al. The RING heterodimer BRCA1-BARD1 is a ubiquitin ligase inactivated by a breast cancer-derived mutation. J. Biol. Chem. 276:14537-14540 (2001).	
000000000000000000000000000000000000000		NISHIKAWA, H. et al. Mass spectrometric and mutational analyses reveal Lys-6-linked polyubiquitin chains catalyzed by BRCA1-BARD1 ubiquitin ligase. J. Biol. Chem. in press [online resource] http://www.lbc.org/cgi/reprint/M308540200 (2003).	
		WU-BAER, F., LAGRAZON, K., YUAN, W., BAER, R. The BRCA1/BARD1 heterodimer assembles polyubiquitin chains through an unconventional linkage involving lysine residue K6 of ubiquitin. J. Biol. Chem. 278; 34743-34746 (2003).	
***************************************		BAER, R. & LUDWIG, T. The BRCA1/BARD1 heterodimer, a tumor suppressor complex with ubiquitin E3 ligase activity. Curr. Opin. Genet. Dev. 12: 86-91 (2002).	
200000000000000000000000000000000000000		VENKITARAMAN, A. R., Cancer susceptibility and the functions of BRCA1 and BRCA2. Cell 108: 171-182 (2002).	
>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>		DENG, C. X. Roles of BRCA1 in centrosome duplication. Oncogene 21: 6222-6227 (2002).	
000000000000000000000000000000000000000		OKUDA, M. et al. Nucleophosim/B23 is a target of CDK2/cyclin E in centrosome duplication. Cell 103: 127-140 (2000).	
100000000000000000000000000000000000000		TOKUYAMA, Y. et al. Specific phosphorylation of nucleophosmin on the Thr ¹⁹⁹ by cyclin-dependent kinase 2-cyclin E and its role in centrosome duplication. J. Biol. Chem. 276: 21529-21537 (2001).	
		BRZOVIC, P.S. et al. Binding and recognition in the assembly of an active BRCA1/BARD1 ubiquitin-ligase complex. Proc. Natl. Acad. Sci, U.S.A. 100: 5646-5651 (2003).	
/AMG/		HONDA, R., TANAKA, H., & YASUDA, H. Oncoprotein MDM2 is a ubiquitin ligase E3 for tumor suppressor p53. FEBS Lett. 420: 25-27 (1997).	

|--|

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant's unique citation designation number (optional), 2 Applicant is to place a check mark here if English language Translation is attached.

1 Applicant's unique citation designation number (optional), 2 Applicant is to place a check mark here if English language Translation is attached.

1 This collection of information is required by 37 CPR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

redmun Introo RMO bilevie enietnos tileselnu politer

Substitute for form 1449/PTO				Complete if Known		
				Application Number	10/588,124	
INFO	DRMATION	DIS	CLOSURE	Filing Date	November 17, 2006	
STA	TEMENT B	Y A	PPLICANT	First Named Inventor	Tomohiko Ohta	
	(Use as many she	ofe as n	ennerind	Art Unit	1643	
	(OSC as many sne	Aro do tu		Examiner Name	A. M. Gussow	
Sheet	2	of	3	Attorney Docket Number	L7350.0010	

Examiner Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issu number(s), publisher, city and/or country where published.				
/AMG/		HERSHKO, A., & CIECHANOVER, A. The ubiquitin system. Annu. Rev. Biochem. 67: 425-479 (1998).				
***************************************		PICKART, C. M. Ubiquitin enters the new millennium. Mol. Cell 8: 499-504 (2001).				
xxxxxxxxxxxxxxxxx	·	XU, X. et al. Centrosome amplification and a defective G2-M cell cycle checkpoint induce genetic instability in BRCA1 exon 11 isoform-deficient cells. Mol. Cell 3: 389-395 (1999).				
		WEAVER, Z. et al. Mammary tumors in mice conditionally mutant for Brca1 exhibit gross genomic instability and centrosome amplification yet display a recurring distribution of genomic imbalances that is similar to human breast cancer. Oncogene 21: 5097-5107 (2002).				
00000000000000000000000000000000000000		HSU, L. C. & WHITE, R. L. BRCA1 is associated with the centrosome during mitosis. Proc. Natl. Acad. Sci. U.S.A. 95: 12983-12988 (1998).				
		HSU, L. C., DOAN, T. P. & WHITE, R. L. Identification of a gamma-tubulin-binding domain in BRCA1. Cancer Res. 61: 7713-7718 (2001).				
0,000,000,000,000		ZATSEPINA, O. V. et al. The nucleolar phosphoprotein B23 redistributes in part to the spindle poles during mitosis. J. Cell. Scl. 112: 455-466 (1999).				
		WU, M. H. & YUNG, B. Y. M. UV stimulation of nucleophosmin/B23 expression is an immediate-early gene response induced by damaged DNA. J. Biol. Chem. 277: 48234-48240 (2002).				
		TAWFIC, S., OLSON, M. O., & AHMED, K. Role of protein phosphorylation in post-translational regulation of protein B23 during programmed cell death in the prostate gland. J. Biol. Chem. 270: 21009-21015 (1995).				
/AMG/		PANG, Q. et al. Nucleophosmin interacts with and inhibits the catalytic function of eukaryotic initiation factor 2 kinase PKR. J. Biol. Chem. 278: 41709-41717 (2003).				

Examiner	/Anne M. Gussow/	Date Considered	12/01/2008
Signature		Considered	

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO:

Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

PTO/SB/08B (01-08)

Approved for use through 01/31/2008. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Substitute for form 1449/PTO				Complete if Known		
				Application Number	10/588,124	
l '	ORMATION			Filing Date	November 17, 2006	
STA	TEMENT B	YA	PPLICANT	First Named Inventor	Tomohiko Ohta	
	(Use as many she	ete ae n	pressan)	Art Unit	1643	
	(USC US MILLY SITE	C43 B3 11	ocesaary,	Examiner Name	A. M. Gussow	
Sheet	3	of	3	Attorney Docket Number	L7350.0010	

Examiner Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	Τ²
/AMG/		OKUWAKI, M., IWAMATSU, A., TSUJIMOTO, M., & NAGATA, K. Identification of nucleophosmin/B23, an acidic nucleolar protein, as a stimulatory factor for in vitro replication of adenovirus DNA complexed with viral basic core proteins. J. Mol. Biol. 311: 41-55 (2001).	
DADADADADADADADADA		OKUWAKI, M., MATSUMOTO, K., TSUJIMOTO, M., & NAGATA, K. Function of nucleophosmin/B23, a nucleolar acidic protein, as a histone chaperone. FEBS Lett. 506: 272-276 (2001).	
000000000000000000000000000000000000000		KEYOMARSI, K. et al. Cyclin E and survival in patients with breast cancer. N. Engl. J. Med. 347: 1566-1575 (2002).	
000000000000000000000000000000000000000		OHTA, T., MICHEL, J. J., SCHOTTELIUS, A. J., & XIONG, Y. ROC1, a homolog of APC11, represents a family of cullin partners with an associated ubiquitin ligase activity. Mol. Cell 3: 535-541 (1999).	
***************************************		OHTA, T., MICHEL, J. J., & XIONG, Y. Association with cullin partners protects ROC proteins from proteasome-dependent degradation. Oncogene 18: 6758-6766 (1999).	
		OHTA, T. & XIONG, Y. Phosphorylation and SKP1-independent in vitro ubiquitination of E2F1 by multiple ROC-cullin ligases. Cancer Res. 61: 1347-1353 (2001).	
/AMG/		MAEDA, I., OHTA, T., KOIZUMI, H., FUKUDA, M. In vitro ubiquitination of cyclin D1 by ROC1-CUL1 and ROC1-CUL3. FEBS Lett. 494: 181-185 (2001).	

Examiner	/Anne M. Gussow/	Date	12/01/2008
Signature		Considered	

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

considered. Include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 UFR 1.95. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentially is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gethering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.